

## Annex 1.

### Fish consumption in the UK

*Table 1. List of oily and white fish*

<u>Oily/fatty fish</u>	<u>White fish</u>
Salmon	Cod
Trout	Haddock
Mackerel	Plaice
Herring	Coley
Sardines	Whiting
Pilchards	Lemon sole
Kipper	Skate
Eel	Halibut
Whitebait	Rock Salmon/Dogfish
Tuna (Fresh only)	Ayr
Anchovies	Cat fish
Swordfish	Dover sole
Bloater	Flounder
Cacha	Flying fish
Carp	Hake
Hilsa	Hoki
Jack fish	John dory
Katla	Kalabasu
Orange roughy	Ling
Pangas	Monk fish
Sprats	Parrot fish
	Pollack
	Pomfret
	Red & grey mullet
	Red fish
	Red Snapper
	Rohu
	Sea bass
	Sea bream
	Shark
	Tilapia
	Turbot
	White fish

**Table 2. Commonly consumed oily, non-oily and white fish in National Diet and Nutrition Survey of British Adults aged 19 to 64 years 2000/01**

<b>OILY FISH</b> Type of fish <sup>1</sup>	<b>% Consumers during the survey week<sup>2</sup></b>
Fresh salmon	9
Canned and smoked salmon	8
Pickled, smoked and canned sardines and pilchards	4
Canned and smoked mackerel	3
Fresh trout	2
Pickled, smoked and canned herring, kipper and bloaters	2
Fresh tuna	2
Fresh mackerel	1

  

<b>NON-OILY/WHITE FISH</b> Type of fish <sup>1</sup>	<b>% Consumers during the survey week<sup>2</sup></b>
Canned tuna	27
Fresh cod	25
Fresh haddock	9
Fresh plaice and whiting	2
Smoked and salted haddock	2
Fresh sole, including lemon sole and Dover sole	2

<sup>1</sup> Includes consumption of fish in dishes.

<sup>2</sup> Percentage who consumed during the seven day dietary recording period.

**Table 3. Consumption of, and intake of cis n-3 PUFA from, total fish in British Adults<sup>3</sup>**

TOTAL FISH		Population mean <sup>4</sup>	Consumer mean	97.5%ile	Number of consumers
Consumption (g/week)	All males (766)	218	314	989	548
	All females (958)	216	295	891	697
	All (1724)	217	304	947	1245
Intake <i>cis</i> n-3 PUFA (g/week) <sup>5</sup>	All males (766)	2.04	2.94	14.69	548
	All females (958)	1.87	2.56	12.41	697
	All (1724)	1.96	2.74	12.96	1245
Intake <i>cis</i> n-3 PUFA (g/day) <sup>3</sup>	All males (766)	0.29	0.42	2.10	548
	All females (958)	0.27	0.37	1.77	697
	All (1724)	0.28	0.39	1.85	1245

**Table 4. Consumption of, and intake of cis n-3 PUFA from, white fish in British Adults<sup>1</sup>**

WHITE FISH		Population mean <sup>2</sup>	Consumer mean	97.5%ile	Number of consumers
Consumption (g/week)	All males (766)	114	239	651	366
	All females (958)	94	204	545	439
	All (1724)	104	221	610	805
Intake <i>cis</i> n-3 PUFA (g/week) <sup>3</sup>	All males (766)	0.60	1.26	3.68	366
	All females (958)	0.45	0.98	3.14	439
	All (1724)	0.53	1.12	3.52	805
Intake <i>cis</i> n-3 PUFA (g/day) <sup>3</sup>	All males (766)	0.09	0.18	0.53	366
	All females (958)	0.07	0.14	0.45	439
	All (1724)	0.08	0.16	0.50	805

<sup>3</sup> National Diet and Nutrition Survey of British Adults aged 19-64 years 2000-01.<sup>4</sup> Mean consumption of fish including non-consumers.<sup>5</sup> Intake data on *cis* n-3 PUFA for British Adults is unpublished until June 2003.

**Table 5. Consumption of, and intake of cis n-3 PUFA from, oily fish (excluding canned tuna) by British Adults<sup>1</sup>**

OILY FISH (EXCLUDING CANNED TUNA)		Population mean <sup>2</sup>	Consumer mean	97.5%ile	Number of consumers
Consumption (g/week)	All males (766)	51	202	703	208
	All females (958)	51	188	601	260
	All (1724)	50	194	608	468
Intake <i>cis</i> n-3 PUFA (g/week) <sup>3</sup>	All males (766)	1.30	5.19	22.66	208
	All females (958)	1.19	4.42	14.35	260
	All (1724)	1.24	4.78	17.38	468
Intake <i>cis</i> n-3 PUFA (g/day) <sup>3</sup>	All males (766)	0.19	0.74	3.24	208
	All females (958)	0.17	0.63	2.05	260
	All (1724)	0.18	0.68	2.48	468

**Table 6. Consumption of, and intake of cis n-3 PUFA from, shellfish by British Adults<sup>6</sup>**

SHELLFISH		Population mean <sup>2</sup>	Consumer mean	97.5%ile	Number of consumers
Consumption (g/week)	All males (766)	24	135	491	141
	All females (958)	31	151	504	198
	All (1724)	27	143	497	339
Intake <i>cis</i> n-3 PUFA (g/week) <sup>3</sup>	All males (766)	0.07	0.38	1.87	141
	All females (958)	0.09	0.46	2.22	198
	All (1724)	0.08	0.42	2.18	339
Intake <i>cis</i> n-3 PUFA (g/day) <sup>3</sup>	All males (766)	0.01	0.05	0.27	141
	All females (958)	0.01	0.07	0.32	198
	All (1724)	0.01	0.06	0.31	339

<sup>1</sup> National Diet and Nutrition Survey of British Adults aged 19-64 years 2000-01.<sup>2</sup> Mean consumption of fish including non-consumers.<sup>3</sup> Intake data on *cis* n-3 PUFA for British Adults is unpublished until June 2003.

**Table 7. Fish Portion Sizes**

Age (years)	Sex	Number	Portion size (grams)			% of sample consuming fish
			Minimum	Mean	Maximum	
1½-4½ <sup>7</sup>	M&F	1675	2	47	170	6
4-6 <sup>8</sup>	M	184	21	57	78	5
	F	171	8	68	162	10
7-10 <sup>2</sup>	M	256	40	85	178	8
	F	226	14	84	170	8
11-14 <sup>2</sup>	M	237	48	137	237	7
	F	238	13	137	196	6
15-18 <sup>2</sup>	M	179	49	114	354	8
	F	210	18	97	198	4
19-64 <sup>9</sup>	M	766	10	148	340	20
	F	958	4	143	350	21

*Excludes fish coated in batter or breadcrumbs, canned fish, smoked fish, shellfish and fish in recipe dishes.*

<sup>7</sup> National Diet and Nutrition Survey: children aged 1½-4½ years 1992-93.

<sup>8</sup> National Diet and Nutrition Survey: young people aged 4-18 years 1997.

<sup>9</sup> National Diet and Nutrition Survey of British Adults aged 19-64 years 2000-01.